

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
 Product name : AB 100%, AB75%, AB50%, ABHC-01, ABHC2-03
 Product codes : AB100%-01-1200-PY-PT, AB100%-01-1350-PB-PT, AB100%-01-25-PB, AB100%-01-25-PY, AB100%-01-PB, AB100%-01-PY, AB100%-03, AB100%-03-1716-PB-PT, AB100%-03-22-PB, AB100%-04-33-PB, AB100%-04-33-PY, AB75%-01, AB75%-03-1584-PB-PT, AB75%-03-16.5-PY, AB75%-03-22-PB, AB75%-03-PB, AB75%-03-PY, AB75%-04, AB75%-04-22-PB, AB75%-04-22-PY, AB-50%-01, AB50%-01-1287-PB-PT, AB50%-01-1386-PB-PT, AB50%-01-33-PB, AB50%-03, AB50%-03-22-PB, AB50%-03-924-PB-PT, AB50%-04, AB50%-04-22-PB, AB50%-04-22-PY, AB50%-04-572-PB-PT, ABHC-01, ABHC-01-22-PB, ABHC-01-792-PB-PT, ABHC2-03, ABHC2-03-22-PB, ABHC2-03-PB-PT.

1.2. Details of the supplier of the safety data sheet

Soltex, Inc.
 3707 FM 560
 Houston, TX 77086
 281-587-0900
 Emergency telephone number : Chemtrec 1 800 424 9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Not classified according to GHS

2.2. Label elements

GHS-US labelling

No labelling applicable

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	Product identifier	%	GHS-US classification
Carbon black	(CAS No.) 1333-86-4	100	Not classified

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
 First-aid measures after skin contact : Wash with soap and water. Seek medical advice if skin irritation develops or persists.
 First-aid measures after eye contact : Flush with plenty of water for at least 15 minutes. Seek medical advice if irritation develops or persists.

SOLTEX ACETYLENE BLACK

Safety Data Sheet

First-aid measures after ingestion : If swallowed: Rinse mouth. Do NOT induce vomiting. Seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray.

5.2. Special hazards arising from the substance or mixture

The ignition temperature of this material in air is approximately 900 °C. If ignited, flames may not be visible in the burning powder. Some heat and smoke may be noticeable.

5.3. Advice for firefighters

Protection during firefighting : Firefighters should wear full protective gear. If possible, isolate the burning powder into an open area (preferably outside), monitor, and allow the fire to burn itself out. Gently applying a fine water mist to the area of the fire may be helpful. Stop spraying if water starts to puddle. Eliminating the source of oxygen may also be helpful. DO NOT spray with high pressure fire extinguishers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No special measures required.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

None.

6.3. Methods and material for containment and cleaning up

For containment : No special measures required.

Methods for cleaning up : Shovel or sweep up and put in a closed container for disposal.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid dust exposures above the occupational exposure limits. Wash exposed skin daily. Fine dust may cause electrical shorts and is capable of penetrating electrical equipment unless tightly sealed. If hot work (welding, torch cutting, etc.) is required the immediate work area must be cleared of carbon black product and dust.

SOLTEX ACETYLENE BLACK

Safety Data Sheet

7.2. Conditions for safe storage, including any incompatibilities

The ignition temperature of this material in air is approximately 900 °C. If ignited, flames may not be visible in the burning powder. Some heat and smoke may be noticeable.

7.3. Specific end use(s)

Maximum storage temperature: 900 °C.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Carbon black (1333-86-4)		
USA ACGIH	ACGIH TWA (mg/m ³)	3 mg/m ³
USA IDLH	US IDLH (mg/m ³)	1750 mg/m ³
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	0.1 mg/m ³ (Carbon black in presence of Polycyclic aromatic hydrocarbons)
USA OSHA	OSHA PEL (TWA) (mg/m ³)	3.5 mg/m ³

8.2. Exposure controls

Appropriate engineering controls	: None required under normal product handling conditions.
Hand protection	: Use neoprene or rubber gloves.
Eye protection	: Chemical goggles or face shield.
Skin and body protection	: Wear suitable working clothes.
Respiratory protection	: If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder
Colour	: Black
Odour	: Odorless
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available

SOLTEX ACETYLENE BLACK

Safety Data Sheet

Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.75 g/cm ³
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling- and storage conditions.

10.3. Possibility of hazardous reactions

Will not occur.

10.4. Conditions to avoid

None.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Not determined.

SOLTEX ACETYLENE BLACK

Safety Data Sheet

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Carbon black (1333-86-4)	
LD50 oral rat	> 15400 mg/kg
LD50 dermal rabbit	> 3 g/kg

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Carbon black (1333-86-4)	
IARC group	2B

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Carbon black (1333-86-4)	
EC50 Daphnia 1	> 5600 mg/l (Exposure time: 24 h - Species: Daphnia magna)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose of contents/container in accordance with local/regional/national/international regulations.

SOLTEX ACETYLENE BLACK

Safety Data Sheet

SECTION 14: Transport information

In accordance with DOT / ADR / RID / ADNR / IMDG / ICAO / IATA

14.1. UN number

US DOT - Not regulated as a hazardous material.

ICAO / IATA - Not regulated as a hazardous material.

14.2. UN proper shipping name

Not applicable

14.2 Additional information

Other information : No supplementary information available.

Overland transport

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

Carbon black (1333-86-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Superfund Amendments and Reauthorization Act (SARA) Sections 311/312 apply if carbon black is present at any one time in amounts equal to or greater than 10,000 pounds. Under these sections, carbon black is determined to be hazardous according to the following EPA hazard categories:

Immediate health hazard:	No
Delayed (chronic) health hazard:	Yes
Sudden release of pressure hazard:	No
Reactive hazard:	No

15.2. US State regulations

Carbon black (1333-86-4)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
Yes				

Carbon black (1333-86-4)

U.S. - Massachusetts - Right To Know List
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List

SOLTEX ACETYLENE BLACK

Safety Data Sheet

SECTION 16: Other information

Revision Date : 02/08/2017

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Party Responsible for the Preparation of This Document

Synthetic Oils and Lubricants of Texas

Suite 560

Houston, TX 77068

281-587-0900

www.soltexinc.com

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Soltex NA GHS SDS