# **ERGON**E

# **SAFETY DATA SHEET**

# 1. Identification

Product identifier Hyvolt II C50B

Other means of identification None.

**Recommended use**Transformer Oil **Recommended restrictions**None known.

Manufacturer/Importer/Supplier/Distributor information

Company: Ergon, Inc.
Address: P.O. Box 1639
Jackson, MS 39215

**E-mail:** sds@ergon.com

**Emergency Contacts** 

**Customer Service:** 1-800-222-7122

**Chemtrec:** 1-800-424-9300 After Business Hours (North America Only)

1-703-527-3887 After Business Hours (International)

# 2. Hazard(s) identification

Physical hazardsNot classified.Health hazardsAspiration hazard

**Environmental hazards** Not classified. **OSHA defined hazards** Not classified.

**Label elements** 



Signal word Danger

**Hazard statement** May be fatal if swallowed and enters airways.

**Precautionary statement** 

**Prevention** Do not breathe gas/mist/vapors/spray.

**Response** IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce

vomiting.

**Storage** Store locked up.

**Disposal** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with

applicable laws and regulations, and product characteristics at time of disposal. See section 13 of

Category 1

this SDS for disposal instructions.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** None.

# 3. Composition/information on ingredients

# **Mixtures**

Chemical name	Common name and synonyms	CAS number	<u>%</u>
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT NAPHTHENIC		64742-53-6	25.0 - 99.9
LUBRICATING OILS (PETROLEUM), C15-30, HYDROTREATED NEUTRAL OIL-BASED		72623-86-0	0 - 50

Material name: Hyvolt II C50B SDS US

Chemical name	Common name and synonyms	CAS number	%
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC		64742-55-8	0 - 35
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED LIGHT PARAFFINIC		64742-56-9	0 - 10
2,6-DI-TERT-BUTYL-P-CRESOL [BUTYLATED HYDROXYTOLUENE (BHT)]		128-37-0	< 0.3

#### 4. First-aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical

advice/attention.

Skin contact Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated

clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.

Eye contact Flush thoroughly with water. If irritation occurs, get medical assistance.

Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of **Ingestion** 

Do not use a solid water stream as it may scatter and spread fire.

aspiration. Call a poison control center immediately.

Most important

symptoms/effects, acute and

delaved

**Indication of immediate** medical attention and special

treatment needed

Treat symptomatically.

Defatting of the skin.

**General information** Contact physician if discomfort continues.

# 5. Fire-fighting measures

Suitable extinguishing media

Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an

extinguisher, as this will spread the fire.

Unsuitable extinguishing media

Specific hazards arising from the chemical

No unusual fire or explosion hazards noted.

Special protective equipment and precautions for

firefighters

Fire fighting equipment/instructions Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurized air mask if product is involved in a

**General fire hazards** No unusual fire or explosion hazards noted. Flammability Class: Combustible IIIB

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.

Methods and materials for containment and cleaning up Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth or absorbent material then place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS.

Material name: Hyvolt II C50B SDS US

## **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.

# 7. Handling and storage

## Precautions for safe handling

DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands after handling and before eating. Do not get this material in contact with eyes. Avoid contact with skin. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Store in a well-ventilated place. Use care in handling/storage.

# 8. Exposure controls/personal protection

## Occupational exposure limits

Components	Туре	Value	Form	
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT NAPHTHENIC (CAS 64742-53-6)	PEL	5 mg/m3	Mist.	
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC (CAS 64742-55-8)	PEL	5 mg/m3	Mist.	
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED LIGHT PARAFFINIC (CAS 64742-56-9)	PEL	5 mg/m3	Mist.	

# **US. ACGIH Threshold Limit Values**

Components	Туре	Value	Form
2,6-DI-TERT-BUTYL-P-CRES OL [BUTYLATED HYDROXYTOLUENE (BHT)] (CAS 128-37-0)	TWA	2 mg/m3	Inhalable fraction and vapor.
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC (CAS 64742-55-8)	TWA	5 mg/m3	Inhalable fraction.
LUBRICATING OILS (PETROLEUM), C15-30, HYDROTREATED NEUTRAL OIL-BASED (CAS 72623-86-0)	TWA	5 mg/m3	Inhalable fraction.

# **US. NIOSH: Pocket Guide to Chemical Hazards**

Material	Туре	Value	Form
Hyvolt II C50B	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

Material name: Hyvolt II C50B sps us

4709 Version #: 03 Revision date: 04-17-2019 Issue date: 06-06-2014

US. NIOSH: Pocket Guide to Che Components	emical Hazards Type	Value	Form
2,6-DI-TERT-BUTYL-P-CRES OL [BUTYLATED HYDROXYTOLUENE (BHT)] (CAS 128-37-0)	TWA	10 mg/m3	
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT NAPHTHENIC (CAS 64742-53-6)	Ceiling	1800 mg/m3	
	STEL	10 mg/m3	Mist.
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC (CAS 64742-55-8)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED LIGHT PARAFFINIC (CAS 64742-56-9)	STEL	10 mg/m3	Mist.
•	TWA	5 mg/m3	Mist.

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Appropriate engineering** 

ering Provide adequ

controls

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined

occupational exposure limit is not exceeded.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Goggles/face shield are recommended.

Skin protection

**Hand protection** Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves

**Other** Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

**Respiratory protection** Under normal conditions, respirator is not normally required. When workers are facing

concentrations above the exposure limit they must use appropriate certified respirators.

**Thermal hazards** Not available.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

## 9. Physical and chemical properties

**Appearance** Clear & bright

Physical state Liquid.
Form Liquid.

ColorWater White to PaleOdorMild Petroleum Odor

Odor threshold Not available.

pH Not applicable

Melting point/freezing point -85 °F (-65 °C) ASTM D5950

Initial boiling point and

boiling range

545 °F (285 °C) ASTM D2887/ ISO 3294

Flash point 289.4 °F (143.0 °C) Pensky-Martens Closed Cup ASTM D93/ ISO 2719

311.0 °F (155.0 °C) Cleveland Open Cup ASTM D92/ ISO 2592

**Evaporation rate** Not available. **Flammability (solid, gas)** Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

**Explosive limit - upper** 

(%)

Not available.

Vapor pressureNot available.Vapor densityNot available.

**Relative density** 0.89 (59 °F (15 °C) ASTM D4052/ ISO 12185)

Solubility(ies)

**Solubility (water)** Insoluble

Partition coefficient Not

(n-octanol/water)

Not established.

**Auto-ignition temperature** > 599 °F (> 315 °C) ASTM E659

**Decomposition temperature** Not available.

**Viscosity** 9.5 cSt (104 °F (40 °C) ASTM D445)

10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable.

**Possibility of hazardous** 

reactions

Hazardous polymerization does not occur.

**Conditions to avoid** Heat, flames and sparks. Avoid temperatures exceeding the flash point.

**Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition** 

products

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

weight hydrocarbons.

11. Toxicological information

Information on likely routes of exposure

**Inhalation** May be fatal if swallowed and enters airways.

**Skin contact** Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis

**Eye contact** May be irritating to eyes.

**Ingestion** May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may

increase risk of product aspiration. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Defatting of the skin. Coughing. Shortness of breath. Discomfort in the chest.

Information on toxicological effects

**Acute toxicity** Not applicable.

**Skin corrosion/irritation** May cause defatting of the skin, but is neither an irritant nor a sensitizer.

Serious eye damage/eye

irritation

Not classified. May cause minor irritation on eye contact.

Respiratory or skin sensitization

Respiratory sensitization Not classified.

**Skin sensitization**Not classified. May cause defatting of the skin, but is neither an irritant nor a sensitizer. **Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Nota L - Meets

EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC)

using IP 346. Not classified.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

**US. National Toxicology Program (NTP) Report on Carcinogens** 

Not listed.

**Reproductive toxicity**Contains no ingredient listed as toxic to reproduction

Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

**Product** 

Not classified.

**Aspiration hazard** May be fatal if swallowed and enters airways.

**Chronic effects** Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

**Species** 

**Further information** Risk of chemical pneumonia after aspiration.

12. Ecological information

**Ecotoxicity** Not expected to be harmful to aquatic organisms.

Hyvolt II C50B

Aquatic

Crustacea EC50 Daphnia 800 mg/l, 48 hours estimated

Components Species Test Results

2,6-DI-TERT-BUTYL-P-CRESOL [BUTYLATED HYDROXYTOLUENE (BHT)] (CAS 128-37-0)

**Aquatic** 

Crustacea EC50 Water flea (Daphnia pulex) 1.44 mg/l, 48 hours

Not available. \* Estimates for product may be based on additional component data not shown.

**Persistence and degradability** Not inherently biodegradable.

**Bioaccumulative potential** Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

**Mobility in soil** Not available.

**Other adverse effects**No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

**Test Results** 

13. Disposal considerations

**Disposal instructions** When this product as supplied is to be discarded as waste, it does not meet the definition of a

RCRA waste under 40 CFR 261. Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material

characteristics at time of disposal.

Hazardous waste code Not applicable.

Waste from residues / unused products

Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the

ground.

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Offer rinsed packaging material to local recycling facilities.

14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78

and the IBC Code

Material name: Hyvolt II C50B

**General information** Not regulated as dangerous goods.

## 15. Regulatory information

## **US federal regulations**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Not applicable.

HyVolt oils are certified to be PCB-free. HyVolt oils are processed from naturally occurring raw

materials with no additives or recycled oils that might introduce PCB contamination.

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### **CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

#### SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312** Yes

**Hazardous chemical** 

Classified hazard As

categories

Aspiration hazard

#### SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act** 

(SDWA)

Not regulated.

#### **US state regulations**

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm. California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

## **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

 Issue date
 06-06-2014

 Revision date
 04-17-2019

Version # 03

**Further information** Local CHEMTREC Numbers:

CHEMTREC Mexico: 1-800-681-9531

NFPA ratings Health: 1

Flammability: 1 Instability: 0

**References** ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Chemical Abstracts Service Registry Handbook CRC: Handbook of Chemistry and Physics

**ILO Safety Cards** 

International Labour Organization

International Maritime Organization Marine Pollutants List

NFPA Hazardous Chemical Data Sheets

NIOSH Pocket Guide

Registry of Toxic Effects of Chemical Substances (RTECS)

**US DOT Hazardous Materials Regulations** 

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision information** Hazard(s) identification: Hazard statement

Composition / Information on Ingredients: Ingredients

Exposure controls/personal protection: Appropriate engineering controls

Physical & Chemical Properties: Multiple Properties

Other information, including date of preparation or last revision: Further information