

SOLTEX Hydrophobic Fumed Silica FS2110D

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To Canada
Hazardous Products Regulations (SOR/2015-17).
Revision Date: 07/17/2019 Date of issue: 07/17/2019

Version: 1.0

SECTION 1: IDENTIFICATION

Product Identifier

Synonyms: Silicon Dioxide, Synthetic Amorphous Silica, Pyrogenic (Fumed) Amorphous Silica.

Product Name: SOLTEX FS2110D.

Intended Use of the Product Various, Rheological control, Flow agent, Thickening agent, Reinforcing agent in: Coatings, Adhesives and/or sealants, Inks and Toners, Silicone Elastomer, Rubber products, Suspension, Dispersion, Paints, Cosmetics, Hygiene and Sanitary products, Other.

Name, Address, and Telephone of the Responsible Party

Company

Soltex, Inc. (Synthetic Oils & Lubricants of Texas)

3707 FM 1960 W Ste. 560

Houston, TX 77068

(281)-587-0900

soltexinc.com

Emergency Telephone Number

Emergency Number : (800)-424-9300 (CHEMTREC); (281)-587-0900 (Other Safety Information)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS-US/CA Classification : This chemical is not considered hazardous by the US 2012 OSHA Hazardous Communication Standard (29 CFR 1910.1200)

Label Elements

GHS-US/CA Labeling

Hazard Pictograms (GHS-US/CA) : None.

Signal Word (GHS-US/CA) : None.

Hazard Statements (GHS-US/CA) : None.

Precautionary Statements (GHS-US/CA) : None.

Other Hazards : No other hazards known.

Potential health effects

Principle Routes of Exposure: Inhalation, Skin Contact, Eye contact

Eye Contact: May cause mechanical irritation. Avoid contact with eyes.

Skin Contact: May cause mechanical irritation and skin drying. Avoid contact with skin. No cases of sensitization in humans have been reported.

Inhalation: Dust may be irritating to respiratory tract. Provide appropriate exhaust ventilation at machinery and at places where dust can be generated. See also Section 8.

Ingestion: Adverse health effects are not expected. See Section 11.

Carcinogenicity: Does not contain any substances greater than 0.1% listed by IARC (International Agency for Research on Cancer), NTP (National Toxicology Program), OSHA (Occupational Safety and Health Administration), ACGIH (American Conference for Governmental Industrial Hygienists) or EU (European Union). See also Section 11.

Target Organ Effects: Lungs, See Section 11

Medical Conditions Aggravated by Asthma, Respiratory disorder

Exposure:

Potential Environmental Effects: None known. See Section 12.

Hazards not otherwise classified (HNOC)

Do not expose to temperatures above 150°C. Hazardous products of combustion can include carbon monoxide and carbon dioxide.

Soltex Hydrophobic Fumed Silica FS2110D

Safety Data Sheet

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms: Silicon Dioxide, Synthetic Amorphous Silica, Pyrogenic (Fumed) Amorphous Silica **Name:** Soltex Hydrophobic Fumed Silica FS2110D.

Name	Product Identifier	Weight %	GHS Ingredient Classification
Silane, dichlorodimethyl-, reaction products with silica	(CAS No) 68611-44-9	100	Not Classified

SECTION 4: FIRST AID MEASURES

Description of First-aid Measures

Inhalation: If coughing, shortness of breath or other breathing problems occur, move to fresh air. Seek medical attention if symptoms persist. If necessary, restore normal breathing through standard first aid measures.

Ingestion: Do not induce vomiting. If conscious, give several glasses of water. Never give anything by mouth to an unconscious person.

Contact skin/eyes: Wash thoroughly with soap and water. Seek medical attention if symptoms develop. Flush eyes immediately with large amounts of water for 15 minutes. Seek medical attention if symptoms develop.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in Section 2 and/or in Section 11

Indication of any immediate medical attention and special treatment needed

Note to physicians: Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water. Dry chemical. Carbon dioxide (CO₂). Foam.

Unsuitable Extinguishing Media: None.

Specific hazards arising from the chemical: None.

Hazardous combustion products: Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective equipment and Precautions for firefighters: Wear suitable protective equipment. In the event of fire, wear self-contained breathing apparatus.

Risk of Dust Explosion: Not Applicable.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid dust formation. Ensure adequate ventilation. Use personal protective equipment. See also Section 8.

For emergency responders: Use personal protection recommended in Section 8.

Environmental Precautions: Contain spilled product on land, if possible. Local authorities should be advised if significant spillages cannot be contained.

Methods and material for containment and cleaning up

Methods for containment: Prevent further leakage or spillage if safe to do so.

Methods for cleaning up: Clean up promptly by vacuum. Use of a vacuum with high efficiency particulate air (HEPA) filtration is recommended. Do not create a dust cloud by using a brush or compressed air. Pick up and transfer to properly labelled containers. See Section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling:

Avoid contact with skin and eyes. Avoid dust formation. Do not breathe dust. Provide appropriate exhaust ventilation at machinery and at places where dust can be generated. Do not create a dust cloud by using a brush or compressed air. Take precautionary measures against static discharges. All metal parts of the mixing and processing equipment must be earthed/grounded. Ensure all equipment is electrically earthed/grounded before beginning transfer operations. Fine dust is capable of penetrating electrical equipment and may cause electrical shorts.

Soltex Hydrophobic Fumed Silica FS2110D

Safety Data Sheet

General hygiene considerations: Handle in accordance with good industrial hygiene and safety practice

Conditions for safe storage, including any incompatibilities

Storage Conditions: Keep containers tightly closed in a dry and well-ventilated place. Do not store together with volatile chemicals as they may be adsorbed onto product. Store at ambient conditions. Keep in properly labeled containers.

Incompatible materials: None known.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure guidelines: The table below is a summary. Please see the specific legislation for complete information.

Amorphous Silica, The regulatory exposure limits are found under the general silica, CAS RN 7631-86-9:	Australia:	2 mg/m ³ , TWA, Respirable
	Austria MAK	4 mg/m ³ , TWA, Inhalable fraction
	Finland:	5 mg/m ³
	Germany TRGS 900:	4 mg/m ³ , TWA, Inhalable fraction
	India:	10 mg/m ³ , TWA
	Ireland:	2.4 mg/m ³ , TWA, Respirable dust
	Norway:	1.5 mg/m ³ , TWA, Respirable dust
	Switzerland:	4 mg/m ³ , TWA
	UK WEL:	6 mg/m ³ , TWA, Inhalable fraction / 2.4 mg/m ³ , TWA, Respirable fraction
	US OSHA PEL:	6mg/m ³ (54 FR2701)
Dust, or Particulates Not Otherwise Specified:	Belgium:	10 mg/m ³ , TWA, Inhalable / 3 mg/m ³ TWA, Respirable
	China:	8 mg/m ³ , TWA / 10 mg/m ³ , STEL
	France:	10 mg/m ³ , TWA Inhalable dust / 5 mg/m ³ , TWA Respirable dust
	Italy:	10 mg/m ³ , TWA, Inhalable / 3 mg/m ³ , TWA, Respirable
	Malaysia:	10 mg/m ³ , TWA, Inhalable / 3 mg/m ³ , TWA, Respirable
	Spain:	10 mg/m ³ , VLA, Inhalable / 3 mg/m ³ , VLA, Respirable
	US ACGIH - PNOS:	10 mg/m ³ , TWA, Inhalable / 3 mg/m ³ , TWA, Respirable
	US OSHA - PEL:	15 mg/m ³ , TWA, Total dust / 5 mg/m ³ , TWA, Respirable

MAK: Maximale Arbeitsplatzkonzentration (Maximum Workplace Concentration)

PEL: Permissible Exposure Limit

PNOS: Particulate Not Otherwise Specified

STEL: Short Term Exposure Limit

TRGS: Technische Regeln für Gefahrstoffe (Technical Rule for Hazardous Materials)

TWA: Time Weighted Average

US ACGIH: United States American Conference of Governmental Industrial Hygienists

US OSHA: United States Occupational Safety and Health Administration

VLA: Valore Limite Ambientale (Environmental Limit Value)

WEL: Workplace Exposure Limit

Engineering Controls: Ensure adequate ventilation to maintain exposures below occupational limits. Provide appropriate local exhaust ventilation at machinery and at places where dust can be generated.

Personal protective equipment [PPE]

Respiratory Protection: Approved respirator may be necessary if local exhaust ventilation is not adequate.

Hand Protection: Wear protective gloves to prevent skin drying. Use protective barrier cream before handling the product. Wash hands and other exposed skin with mild soap and water.

Eye/face Protection: Wear eye/face protection. Wear safety glasses with side shields (or goggles).

Skin and Body Protection: Wear suitable protective clothing. Wash clothing daily. Work clothing should not be allowed out of the workplace.

Other: Handle in accordance with good industrial hygiene and safety practice. Emergency eyewash and safety shower should be located nearby.

Environmental exposure controls: In accordance with all local legislation and permit requirements as applicable for dusts.

Soltex Hydrophobic Fumed Silica FS2110D

Safety Data Sheet

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	: Solid
Appearance	: White powder
Odor	: None
Odor Threshold	: Not applicable
pH	: 3.5-5.3
Evaporation Rate	: Not applicable
Melting Point/Freezing Point	: 1700°C (NIOSH Pocket Guide to Chemical Hazards)
Boiling Point/Boiling Range	: 2230°C (NIOSH Pocket Guide to Chemical Hazards)
Flash Point	: Not applicable
Auto-ignition Temperature	: Unlikely to ignite
Minimum Ignition Temperature	: >790°C (ASTM E-1491 Dust cloud)
Minimum Ignition Energy	: >10 J (BS 5958 Part 1, 1991)
Ignition Energy	: Not available
Flammability (solid, gas)	: Not flammable. Product resists ignition and does not promote flame spread.
Lower Flammable Limit	: Not available
Upper Flammable Limit	: Not available
Vapor Pressure	: Not applicable
Vapor Density	: Not applicable
Density	: Not available
Bulk Gravity	: Not available
Specific Gravity at 20°C	: Not available
Water Solubility	: Slightly soluble (According to OECD 105)
Solubility(ies)	: Not available
Partition Coefficient (N-Octanol/Water)	: Not applicable
Decomposition Temperature	: >400°C (Bulk Powder test- Diffusion cell)
Viscosity	: Not applicable
Oxidizing Properties	: No oxidizing properties
Softening Point	: Not applicable
VOC Content (%)	: Not applicable
Dust Explosion Classification	: Not applicable

End point is listed "not applicable" due to the inherent properties of the substance

"Not available" indicates testing has not been performed

SECTION 10: STABILITY AND REACTIVITY

Stability: Stable under recommended handling and storage conditions.

Stable up to 400° C. No exotherm (Bulk Powder test - Diffusion cell).

Reactivity: Not reactive. Substance is an inert inorganic solid.

Possibility of hazardous reactions: None under normal processing.

Conditions to avoid: Do not expose to temperatures above 150°C. Keep away from heat and sources of ignition.

Avoid dust formation.

Hazardous polymerization: Hazardous polymerization does not occur.

Incompatible materials: None known.

Explosion data: Will not cause dust explosion.

Sensitivity to Mechanical Impact: None

Sensitivity of Static Discharge: This material is an inorganic dust and will not create nor support conditions that would result in a dust explosion or fire. Take precautionary measures against static discharges. Avoid dust formation. All metal parts of the mixing and processing equipment must be earthed/grounded. Ensure all equipment is electrically earthed/grounded before beginning transfer operations.

Hazardous decomposition products: Carbon monoxide (CO). Carbon dioxide (CO₂).

Soltex Hydrophobic Fumed Silica FS2110D

Safety Data Sheet

SECTION 11: TOXICOLOGICAL INFORMATION

Information given is based on data obtained from this substance or from similar substances.

Acute toxicity

Oral LD50: LD50/oral/rat = > 5000 mg/kg. No deaths occurred and no signs of toxicity were seen during the observation periods after single oral administration of the substance (OECD 423).

Inhalation LC50: Due to the product's physical characteristics, no suitable testing procedure is available.

Dermal LD50: No data is available on the product itself.

Skin corrosion/irritation: Primary irritation index = 0/8 @ 24 hr. Not classified as an irritant (OECD 404).

Serious eye damage/eye irritant: Not classified as an irritant in rabbit studies (OECD 405). High dust concentrations may cause mechanical irritation.

Sensitization: No experimental animal data are available. No cases of sensitization in humans have been reported.

Mutagenicity: Not mutagenic in Ames test. Negative in the chromosome aberration test in Chinese hamster ovary (CHO) cells.

Carcinogenicity: No evidence of cancer in rats exposed for 24 months at 100 mg/kg/d (diet). (ECETOC JACC Report 051 - Synthetic Amorphous Silica, September 2006).

Reproductive and Synthetic Amorphous Silica: No evidence of carcinogenicity was observed in multiple animal species following repeated oral or inhalation exposure to amorphous silica. Similarly, epidemiology studies show no evidence of carcinogenicity in workers who manufacture amorphous silica.

Developmental Toxicity : No effects on reproductive organs have been reported in animal toxicity studies. No developmental effects observed on progeny in dietary study (doses of 0 or 500 mg/kg/d). (ECETOC JACC Report 051 - Synthetic Amorphous Silica, September 2006).

STOT - single exposure: Specific target organ toxicity is not expected after single oral, single inhalation, or single dermal exposure.

STOT - repeated exposure: Repeated dose toxicity: oral (rat) , 5 to 8 weeks, no significant treatment-related adverse effects at doses of up to 2000 mg/kg/d. (ECETOC JACC Report 051 - Synthetic Amorphous Silica, September 2006).

Synthetic Amorphous Silica. Repeated dose toxicity: oral (rat), 2 weeks to 6 months, no significant treatment-related adverse effects at doses of up to 8% silica in the diet. Repeated dose toxicity: inhalation (rat), 13 weeks, Lowest Observed Effect Level (LOEL) = 1.3 mg/m³ based on mild reversible effects in the lungs.

Repeated dose toxicity: inhalation (rat), 90 days, LOEL = 1 mg/m³ based on reversible effects in the lungs and effects in the nasal cavity.

Based on available data, a STOT-RE classification is not warranted.

Aspiration Hazard: Based on industrial experience and available data, no aspiration hazard is expected.

SECTION 12: ECOLOGICAL INFORMATION

Information given is based on data from similar substances.

Pollutant potential:

Persistence and degradability: The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulation: Not expected due to physicochemical properties of the substance.

Mobility: Not expected to migrate.

Distribution to Environmental Compartments: Not available.

Other adverse effects: Not available.

Soltex Hydrophobic Fumed Silica FS2110D

Safety Data Sheet

SECTION 13: DISPOSAL CONSIDERATIONS

Disclaimer: Information in this section pertains to the product as shipped in its intended composition as described in Section 3 of this SDS. Contamination or processing may change waste characteristics and requirements. Regulations may also apply to empty containers, liners or rinsate. State/provincial and local regulations may be different from federal regulations.

RCRA: Unused product is not a hazardous waste under U.S. RCRA, 40 CFR 261.

Unused and Uncontaminated

Product: Product, as supplied, should be disposed of in accordance with the regulations issued by the appropriate federal, state and local authorities. Same consideration should be given to containers and packaging.

SECTION 14: TRANSPORT INFORMATION

Not self-heating solids (Class 4.2). per UN Transportation of Dangerous Goods.

DOT

UN/ID no	Not regulated
Proper Shipping Name	Not regulated
Hazard Class	Not regulated
Packing Group	Not regulated

ICAO (air)

UN/ID no	Not regulated
Proper Shipping Name	Not regulated
Hazard Class	Not regulated
Packing Group	Not regulated

IATA

UN/ID no	Not regulated
Proper Shipping Name	Not regulated
Hazard Class	Not regulated
Packing Group	Not regulated

IMDG

UN/ID no	Not regulated
Proper Shipping Name	Not regulated
Hazard Class	Not regulated
Packing Group	Not regulated

RID

UN/ID no	Not regulated
Proper Shipping Name	Not regulated
Hazard Class	Not regulated
Packing Group	Not regulated

ADR

UN/ID no	Not regulated
Proper Shipping Name	Not regulated
Hazard Class	Not regulated
Packing Group	Not regulated

SECTION 15: REGULATORY INFORMATION

This chemical is not considered hazardous by the US 2012 OSHA Hazardous Communication Standard (29 CFR 1910.1200)

US Federal Regulations

TSCA Section 12(b) Export Regulations

This product does not contain any chemicals which require export notification under TSCA 12(b).

Soltex Hydrophobic Fumed Silica FS2110D

Safety Data Sheet

SARA Section 302 (40 CFR 355) Extremely Hazardous Substances

No components are listed as extremely hazardous substances under SARA Section 302.

SARA 311/312 Hazard Categories

Acute Health Hazard	No	Sudden release of pressure hazard	No
Chronic Health Hazard	No	Reactive Hazard	No
Fire hazard	No		

See GHS classification in section 2 for applicable SARA 311/312 hazard categories under the revised 40 CFR 370 (June 13, 2016).

SARA Section 313 (40 CFR 372) Toxics Release Inventory

Does not contain any of the substances identified under Section 313 as toxic chemicals in excess of the de minimis concentrations necessary to be subject to the supplier notification requirements.

Clean Air Act Amendments of 1990 (CAA, Section 112, 40 CFR 82)

This product does not contain any components listed as a Hazardous Air Pollutant, Flammable Substance, Toxic Substance, or Class 1 or 2 Ozone Depletor

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

US State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania	Louisiana:
Silica 7631-86-9	X	X	X	-

Canada - WHMIS Classification (HPR, SOR/2015-17)

See Section 2 for Hazard Classification. This chemical is not considered hazardous.

International Regulations

Listed on the EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on TCSI (Taiwan Chemical Substance Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) Section 8(b) inventory

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date : 07/17/2019

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR).

References:

NIOSH Pocket Guide to Chemical Hazards, September 2005. "Silica, amorphous". DHHS (NIOSH) Publication No. 2005-149.

National Technical Information Service, Springfield, VA. p. 277

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.