

8% ZINC NAPHTHENATE

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 05/17/2018

Revision date: 05/17/2018

Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture
Product name : 8% ZINC NAPHTHENATE

1.2. Recommended use and restrictions on use

Recommended use : Wood preservative

1.3. Supplier

Soltex Canada
30 Dussek St.
Belleville, Ontario K8N 5R8 Canada
(613) 966-8881

1.4. Emergency telephone number

Emergency number : (800)-424-9300 (CHEMTREC); (613) 966-8881 (Other Safety Information)

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS-CA)

Flam. Liq. 3 H226

2.2. GHS Label elements, including precautionary statements

GHS-CA labelling

Hazard pictograms (GHS-CA) :



Signal word (GHS-CA) :

Warning

Hazard statements (GHS-CA) :

H226 - Flammable liquid and vapour.

Precautionary statements (GHS-CA) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 - Keep container tightly closed.
P240 - Ground/bond container and receiving equipment.
P241 - Use explosion-proof electrical/ventilating/lighting equipment.
P242 - Use only non-sparking tools.
P243 - Take action to prevent static discharges.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P403+P235 - Store in a well-ventilated place. Keep cool
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-CA)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of WHMIS 2015

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation :

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

8% ZINC NAPHTHENATE

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

| | |
|---------------------------------------|---|
| First-aid measures after skin contact | : If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash clothing before re-using. Get medical attention if irritation develops and persists. |
| First-aid measures after eye contact | : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion | : Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell. |

4.2. Most important symptoms and effects (acute and delayed)

| | |
|-------------------------------------|---|
| Symptoms/effects after inhalation | : May cause irritation to the respiratory tract. |
| Symptoms/effects after skin contact | : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. |
| Symptoms/effects after eye contact | : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. |
| Symptoms/effects after ingestion | : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea. |

4.3. Immediate medical attention and special treatment, if necessary

| | |
|-----------------------------------|--|
| Other medical advice or treatment | : Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). |
|-----------------------------------|--|

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

| | |
|------------------------------|--|
| Suitable extinguishing media | : Alcohol resistant foam. Water fog. Dry chemical powder. Dry chemical. Carbon dioxide (CO ₂). |
|------------------------------|--|

5.2. Unsuitable extinguishing media

| | |
|--------------------------------|---|
| Unsuitable extinguishing media | : Do not use a water jet since it may cause the fire to spread. |
|--------------------------------|---|

5.3. Specific hazards arising from the hazardous product

| | |
|------------------|---|
| Fire hazard | : Flammable liquid and vapour. Products of combustion may include and are not limited to: oxides of carbon. Heating can release hazardous gases. |
| Explosion hazard | : May form flammable/explosive vapour-air mixture. Heavier than air, vapours may travel long distances along ground, ignite and flash back to source. |

5.4. Special protective equipment and precautions for fire-fighters

| | |
|--------------------------------|--|
| Firefighting instructions | : Move containers from fire area if you can do it without risk. Cool closed containers exposed to fire with water spray. |
| Protection during firefighting | : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA). |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|------------------|---|
| General measures | : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Use special care to avoid static electric charges. Remove all sources of ignition. |
|------------------|---|

6.2. Methods and materials for containment and cleaning up

| | |
|-------------------------|---|
| For containment | : Contain spill, then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE). For large spills isolate area and contain spill by using earth or plastic materials to dam spill and prevent runoff into bodies or water. For small spills, use paper or cotton towels to absorb spills, then rinse area with clean water. |
| Methods for cleaning up | : Sweep or shovel spills into appropriate container for disposal. Provide ventilation. |

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|-----------------------------------|---|
| Precautions for safe handling | : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. |
| Hygiene measures | : Wash contaminated clothing before reuse. Always wash hands after handling the product. |
| Additional hazards when processed | : Handle empty containers with care because residual vapours are flammable. |

8% ZINC NAPHTHENATE

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

7.2. Conditions for safe storage, including any incompatibilities

| | |
|--------------------|--|
| Technical measures | : Proper grounding procedures to avoid static electricity should be followed. |
| Storage conditions | : Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well-ventilated place. Keep away from sources of ignition. Keep out of direct sunlight. Keep in an area equipped with sprinklers. |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

| | |
|----------------------------------|---|
| Appropriate engineering controls | : Use only with ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended / statutory exposure limits. Use local exhaust, general exhaust, or other engineering controls as appropriate to keep exposure levels below recommended / statutory exposure limits. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Environmental exposure controls | : Avoid release to the environment. |

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear suitable gloves

Eye protection:

Safety glasses or goggles are recommended when using product.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|--|
| Physical state | : Liquid |
| Appearance | : Liquid |
| Colour | : Dark yellow/Brown |
| Odour | : No data available |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Relative evaporation rate (ether=1) | : < 1 |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : 320 - 473 °F (160 - 245 °C) Reference Substance: Solvent |
| Flash point | : > 113 °F (> 45.0 °C) Pensky-Martens Closed Cup |
| Auto-ignition temperature | : > 392 °F (> 200 °C) |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Flammable liquid and vapour. |
| Vapour pressure | : 0.54 mm Hg |
| Vapour pressure at 50 °C | : No data available |
| Relative density | : No data available |
| Relative gas density | : > 1 (Air = 1) |
| Solubility | : No data available |
| Partition coefficient n-octanol/water | : No data available |
| Viscosity, kinematic | : No data available |
| Explosive properties | : Not explosive. |

8% ZINC NAPHTHENATE

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

| | |
|----------------------|---------------------|
| Oxidising properties | : Not oxidizing. |
| Explosive limits | : No data available |

9.2. Other information

| | |
|--------------------------------|-------------------------------------|
| Percent volatile (weight %) | 45% by weight : 0.09 % estimated |
| Specific gravity VOC | : 0.94 Temperature: 25 °C |

SECTION 10: Stability and reactivity

10.1. Reactivity

| | |
|------------------------------------|---|
| Reactivity | : No dangerous reactions known under normal conditions of use. |
| Chemical stability | : Stable under normal conditions. May form flammable/explosive vapour-air mixture. |
| Possibility of hazardous reactions | : No dangerous reactions known under normal conditions of use. |
| Conditions to avoid | : Heat, sparks, flames. Direct sunlight. Sources of ignition. Incompatible materials. |
| Incompatible materials | : Strong oxidizing agents. |
| Hazardous decomposition products | : May include, and are not limited to: oxides of carbon. May release flammable gases. |

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-------------------------------------|---|
| Acute toxicity (oral) | : Not classified. |
| Acute toxicity (dermal) | : Not classified. |
| Acute toxicity (inhalation) | : Not classified. |
| Skin corrosion/irritation | : Not classified. |
| Serious eye damage/irritation | : Not classified. |
| Respiratory or skin sensitization | : Not classified. |
| Germ cell mutagenicity | : Not classified. |
| Carcinogenicity | : Not classified. |
| Reproductive toxicity | : Not classified. |
| STOT-single exposure | : Not classified. |
| STOT-repeated exposure | : Not classified. |
| Aspiration hazard | : Not classified. |
| Symptoms/effects after inhalation | : May cause irritation to the respiratory tract. |
| Symptoms/effects after skin contact | : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. |
| Symptoms/effects after eye contact | : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling. |
| Symptoms/effects after ingestion | : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea. |
| Other information | : Likely routes of exposure: ingestion, inhalation, skin and eye. |

SECTION 12: Ecological information

12.1. Toxicity

| | |
|-------------------|---|
| Ecology - general | : May cause long-term adverse effects in the aquatic environment. |
|-------------------|---|

12.2. Persistence and degradability

8% ZINC NAPHTHENATE

| | |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |
|-------------------------------|------------------|

12.3. Bioaccumulative potential

8% ZINC NAPHTHENATE

| | |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |
|---------------------------|------------------|

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

| | |
|-------------------|---------------------------|
| Ozone | : Not classified. |
| Other information | : No other effects known. |

8% ZINC NAPHTHENATE

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 13: Disposal considerations

13.1. Disposal methods

- Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way.
- Additional information : Handle empty containers with care because residual vapours are flammable.

SECTION 14: Transport information

14.1. Basic shipping description

In accordance with TDG

Transportation of Dangerous Goods

- UN-No. (TDG) : UN1306
- Packing group : III
- TDG Primary Hazard Classes : 3 - Class 3 - Flammable Liquids
- Transport document description : UN1306 WOOD PRESERVATIVES, LIQUID, 3, III
- Proper Shipping Name (Transportation of Dangerous Goods) : WOOD PRESERVATIVES, LIQUID
- Hazard labels (TDG) :



14.2. Transport information/DOT

No additional information available

14.3. Air and sea transport

No additional information available

SECTION 15: Regulatory information

15.1. National regulations

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

15.2. International regulations

No additional information available

SECTION 16: Other information

- Date of issue : 05/17/2018
- Revision date : 05/17/2018
- Other information : None.
- Prepared by : Nexreg Compliance Inc.
www.Nexreg.com



SDS Canada (GHS)_NEXREG_NEW

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.